

# -25°C Upright Freezer FM-UF-A100



## Description :

-25°C Upright Freezer FM-UF-A100 is a vertical type low temperature freezer comes with 130 L capacity and -10°C to -25°C adjustable temperature range. Designed with door having safety lock and handle design, 2 layers of shelves for large storage and casters for easy movement. Chamber is made up of durable ABS material and outer body is coated with galvanized steel powder coating material. The CFC free compressor and quick freezing switch aids in fast cooling.

## Specifications :

Cabinet type	Vertical
Capacity	130 L
Cooling performance	-25°C
Temperature range	-10°C to -25°C
Climate class	Class N
Cooling type	Direct cooling
Defrost mode	Manual
Refrigerant	CFC-Free, R134a (R600a is optional)
Controller	Microprocessor
Display	LED
Shelves/Inner doors	2 pcs
Interior material	ABS
Exterior material	Galvanized steel powder coating
Interior dimension (W × D × H)	490 × 480 × 630 mm

Exterior dimension (W × D × H)	600 × 625 × 840 mm
Packaging dimension (W × D × H)	670 × 720 × 980 mm
Power supply	220 V, 50 Hz
Power	135 W
Net weight	49 kg
Gross weight	55 kg

## Features :

- Two layered shelves and 3 compartments
- Microprocessor control system
- Wire tube condenser for fast cooling
- Multi airbag magnetic seal
- Door with safety lock and ergonomic handle design
- Galvanized steel powder coated exterior, interior is made up of ABS
- Start delay, stop interval and other compressor protection function
- SECOP compressor for highly efficient refrigeration effect
- Functions with high and low temperature (-10°C to -25°C)
- Ergonomically designed 04 casters for easy movement
- CFC-Free, R134a refrigerant
- International standards such as ISO9001 & CE certificate

## Applications:

Used in food industries, blood banks, medical laboratories and research institutes.

## Accessories Optional:

Accessories no.	Accessories name	Unit
1	Temperature recorder	1



**Email :** [info@fison.com](mailto:info@fison.com) | **Website :** [www.fison.com](http://www.fison.com)